

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27

UNITED STATES DISTRICT COURT  
FOR THE WESTERN DISTRICT OF WASHINGTON

MICHAEL WALKER and COURTNEY  
WALKER, on behalf of themselves and all  
others similarly situated,

Plaintiffs,

v.

WEYERHAEUSER COMPANY,

Defendant.

No.

**CLASS ACTION COMPLAINT**

**JURY TRIAL DEMAND**

Plaintiffs Michael and Courtney Walker (collectively, “Plaintiffs”), through their undersigned counsel, on behalf of themselves and all others similarly situated, bring this action against Defendant Weyerhaeuser Company (“Weyerhaeuser” or “Defendant”). In support hereof, Plaintiffs allege as follows:

**NATURE OF THE ACTION**

1. Plaintiffs bring this class action against Weyerhaeuser individually and on behalf of all persons and entities who own or who have signed contracts to purchase homes or other structures located in the State of Ohio and across the United States in which Weyerhaeuser’s TJI Joists with Flak Jacket Protection (the “Joists”) are or were installed (the “Class members”).

1           2.       This lawsuit arises out of damages sustained by Plaintiffs and the Class members  
2 that were proximately caused by Weyerhaeuser’s defective Joists used in the construction of  
3 Plaintiffs’ and Class members’ homes and other structures.

4           3.       Weyerhaeuser manufactured the defective Joists, and since at least December  
5 2016, sold and distributed the Joists throughout Ohio and the United States for installation in  
6 homes and other structures. At all times, Weyerhaeuser marketed and represented, on its  
7 website and marketing materials, the Joists as possessing “[a]ll the quality and cost-efficiency  
8 you expect from [Weyerhaeuser’s] Trus Joist engineered lumber products.” Weyerhaeuser  
9 touted the Joists to be “[e]xtremely durable,” “not requir[ing] special handling or storage.”  
10 Weyerhaeuser sold the Joists with a fully transferable warranty that warranted against  
11 “manufacturing defects” and remained in effect for “the lifetime of the structure.” (Exhibit A.)

12           4.       Despite these representations that were uniformly made to all customers, the  
13 Joists are defectively designed and defectively manufactured, such that they emit noxious and  
14 toxic gases that are harmful to humans. The Joists’ “Flak Jacket” coating includes a  
15 formaldehyde-based resin that results in the “off-gassing” of formaldehyde far in excess of  
16 acceptable levels and causes other serious air quality issues.

17           5.       Short-term human exposure to formaldehyde for periods as short as 15 minutes  
18 has been shown to cause respiratory irritation, headaches, coughing, dizziness, and nausea.  
19 Chronic and long-term exposure to formaldehyde is linked to increased risk of cancer of the  
20 nose and sinuses, nasopharyngeal and oropharyngeal cancer, lung cancer, and leukemia.  
21 Formaldehyde also causes burning eyes, nose and throat irritation, and joint pain. It has also  
22 been linked to the exacerbation of asthma in formaldehyde-sensitive individuals and poses a  
23 particularly acute risk to children.

24           6.       The defective nature of the Joists is so severe that Plaintiffs’ and Class members’  
25 homes and other structures were rendered uninhabitable. Immediate repair, removal and/or  
26 replacement of the Joists was required.



**FACTUAL ALLEGATIONS RELATED TO PLAINTIFFS**

1  
2 11. Michael and Courtney Walker are the original owners of a Lithopolis, Ohio  
3 home built in 2017 with Weyerhaeuser’s TJI Joists with Flak Jacket Protection.

4 12. The Walkers settled on and moved into their new house with their newborn  
5 daughter on June 29, 2017.

6 13. During the week of July 18, 2017, the Walkers were notified of a “chemical  
7 leakage” coming from the Joists in their new house, but were not immediately relocated.

8 14. For 42 days, the Walkers resided in the house with the Joists. During this time,  
9 Ms. Walker and her daughter experienced symptoms common to formaldehyde exposure  
10 including irritated eyes, severe allergy-like symptoms, headaches, nausea, restlessness, and  
11 congestion. They are concerned about the long-term ramifications of living in a home where  
12 formaldehyde was off-gassed, especially on their daughter who was less than one year old at the  
13 time.

14 15. On or about August 10, 2017, Defendant relocated the Walkers to temporary  
15 housing while their Joists were remediated using the cyroblasting method. The Walkers would  
16 remain in temporary housing for the next 134 days.

17 16. During their relocation, the Walkers incurred a number of damages and  
18 inconvenience, including but not limited to taking their daughter to a sitter (she would otherwise  
19 have been cared for in the home), spending additional time and expense commuting to work,  
20 and regular phone calls and emails with Weyerhaeuser’s representatives regarding the  
21 remediation work underway at their home.

22 17. The presence of the Joists has diminished the resale value of the Walkers’ new  
23 home.

24 18. The presence of the Joists will necessitate ongoing monitoring to ensure that the  
25 home does not have dangerous levels of formaldehyde. Medical monitoring for the Walkers  
26 and their daughter is also necessary given their exposure to dangerous and unsafe levels of  
27 formaldehyde gases.



1           26.     Weyerhaeuser sold or distributed the Joists throughout Ohio and the United  
2 States for installation in homes and other structures, including homes where families, senior  
3 citizens and children reside.

4           27.     Marketing materials obtained from Weyerhaeuser’s own website represent that  
5 its Joists “offer the high-performance flooring [consumers] rely on with the fire-resistance that  
6 new regulations require,” “do[] not require special handling,” and are “backed by Weyerhaeuser  
7 support.”

8           28.     Weyerhaeuser’s sales brochures and marketing literature, that were widely  
9 distributed to building professionals who installed the Joists, and that were available to  
10 Plaintiffs and the Classes at the time of sale, similarly tout the superior characteristics of the  
11 Joists.

12           29.     Plaintiffs and the Classes, and their builders, relied on Weyerhaeuser’s  
13 representations and advertising concerning the Joists when they purchased the Joists.

14           30.     Weyerhaeuser’s competitors and other business partners, including within the  
15 State of Washington, were injured by its conduct.

16           31.     Weyerhaeuser widely advertises that its Joists carry a lifetime warranty.  
17 Building professionals and consumers appropriately and reasonably interpret Weyerhaeuser’s  
18 warranty and representations to mean that the product should not need to be replaced during the  
19 lifetime of a home or other structure in which the Joists are installed.

20           32.     Weyerhaeuser’s lifetime warranty is attached hereto as **Exhibit A**. The warranty  
21 guarantees against “manufacturing defects for the lifetime of the structure.” The warranty also  
22 states that “Weyerhaeuser will pay reasonable cost of labor and material for the repair or  
23 replacement of the covered Joists, not to exceed 3 times the original purchase price of the Joist.”

24           33.     Given that the Joists need to be immediately repaired, removed and/or replaced,  
25 the Joists have not lived up to Weyerhaeuser’s representations and warranties.

1 **II. Weyerhaeuser’s Joists Are Defective**

2 34. Because of a defect in the design, formulation, and manufacture of the Joists, the  
3 Joists emit excessive levels of noxious and toxic gases. These dangerous gases render the  
4 homes and other structures in which the Joists are installed uninhabitable and pose a serious  
5 safety risk to those who enter these homes and other structures.

6 35. These defects have manifested themselves uniformly in the Joists installed in the  
7 homes and other structures of Plaintiffs and the Classes.

8 36. At present, there are thousands of Class members, including Plaintiffs, whose  
9 homes and other structures incorporate Weyerhaeuser’s defective Joists and who have observed  
10 or otherwise experienced the uniform defects described herein.

11 37. Some of the homes and structures at issue were tested by builders and customers  
12 and evidenced the defect with the Joists, as described herein.

13 38. As a direct result of the readily observable and uniform defects inherent in the  
14 Joists, Weyerhaeuser halted all production, sales and shipments of the Joists and referred to the  
15 Joists as “temporarily discontinued.” To date, Weyerhaeuser has not reintroduced the Joists to  
16 the marketplace.

17 **III. The Remedies Provided By Weyerhaeuser’s Warranty Are Inadequate**

18 39. Weyerhaeuser’s warranty is grossly inadequate considering the uniform serious  
19 problem with the Joists and the immediate safety risks they present to humans. Weyerhaeuser’s  
20 warranty purportedly limits Plaintiffs’ and Class members’ recovery to the “reasonable cost of  
21 labor and material for the repair or replacement of the covered Joists, not to exceed 3 times the  
22 original purchase price of the Joist.” In fact, the repair, removal and/or replacement of already-  
23 installed Joists costs far in excess of three times the purchase price of the Joists alone.

24 40. Weyerhaeuser’s failure to appropriately address on a class-wide basis the defects  
25 inherent in its Joists, that have foreseeably resulted in the problems described herein, constitutes  
26 a breach of its express warranties to Plaintiffs and the Classes. Moreover, Weyerhaeuser’s  
27

1 affirmative representations as to the quality of its defective Joists constitute an actionable  
2 misrepresentation of material fact.

3 41. Weyerhaeuser warranted and advertised to contractors, subcontractors, Plaintiffs,  
4 and the Classes, the quality of its Joists even though it reasonably should have known that the  
5 Joists were defectively designed and manufactured.

6 42. As a direct and proximate result of Weyerhaeuser's Joists being installed in the  
7 homes and other structures of Plaintiffs and the Classes, Plaintiffs and the Classes have suffered  
8 damages, in that the Joists have emitted noxious and toxic gases that make people sick and  
9 render the homes and other structures uninhabitable, and in that the presence of the Joists, even  
10 if remediated, diminishes the value of the homes and other structures in which they are  
11 installed.

12 43. To the extent that Weyerhaeuser's warranty purports to limit or eliminate certain  
13 contractual rights afforded to Plaintiffs (*e.g.*, on the type of recoverable damages or the ability  
14 to recover property damages and other types of damages), such limitations are unconscionable  
15 and unenforceable under the circumstances.

#### 16 **IV. The Remedies Purportedly Offered By Weyerhaeuser are Insufficient**

17 44. In a July 18, 2017 press release, Weyerhaeuser admitted the defective nature of  
18 the Joists was caused by the Joists' "Flak Jacket coating that included formaldehyde-based  
19 resin." In the same press release, Weyerhaeuser asserted that it was "working proactively with  
20 its customers to address this situation and will cover the cost to either remediate or replace  
21 affected joists." However, its remediation and replacement options are insufficient and will not  
22 make Plaintiffs and the Classes whole.

23 45. For example, with respect to Weyerhaeuser's purported first remediation option,  
24 Weyerhaeuser proposed simply applying a paint coating to the Joists, which Weyerhaeuser  
25 asserts will bind the formaldehyde and reduce emissions. While Weyerhaeuser maintains that it  
26 has successfully tested this method, it has not been subjected to long-term testing and there is no  
27 proof that this technique will remain effective in the field. Further, this proposed method of



1 remediation (which would be a much cheaper fix by Weyerhaeuser) was quickly rejected by  
2 professionals in the building trades. Even after submitting to this remediation method, Plaintiffs  
3 and Class members may still be exposed to harmful gases emitting from the Joists.  
4 Additionally, the value of the homes and other structures of Plaintiffs and the Classes will be  
5 permanently diminished by the continued presence of the defective Joists.

6 46. Due to dissatisfaction with Weyerhaeuser's first remediation option, a second  
7 purported remediation option was introduced. This method – which was used in the Walkers'  
8 home – consists of scraping and cryoblasting a majority of the Flak Jacket coating off of the  
9 Joists and then applying the paint coating to the Joists. As with the first remediation option, this  
10 second option has not been subjected to long-term testing and there is no proof that this  
11 technique will remain effective in the field. Additionally, the value of the homes and other  
12 structures of Plaintiffs and the Classes will be permanently diminished by the continued  
13 presence of the defective Joists.

14 47. Weyerhaeuser's proposed replacement option also fails to adequately address  
15 and cover the numerous complications and ancillary costs involved. For example,  
16 Weyerhaeuser has told owners of homes with the defective Joists that they will be responsible  
17 for retaining their own engineers to confirm the structural integrity of homes once the Joists are  
18 replaced.

19 48. Plaintiffs and Class members deserve full compensation for the delay in their  
20 ability to occupy their homes, including, without limitation, reimbursement for the expense and  
21 inconvenience of having to deal with this issue, finding alternative living arrangements on short  
22 notice, and all of the time and associated expenses.

23 49. Class members who have already moved into homes containing the Joists have  
24 been subjected to numerous other harms as a result of the defective Joists, including, without  
25 limitation, headaches, stinging and tearing eyes, dizziness, nausea, coughing and wheezing, and  
26 asthma-type symptoms.



1 c) whether Weyerhaeuser knew or should have known of the defective  
2 nature of the Joists prior to putting them into the stream of commerce for purchase by Plaintiffs  
3 and the Classes;

4 d) whether Weyerhaeuser properly and timely provided notice and advised  
5 all affected consumers about the problems with the Joists;

6 e) whether Weyerhaeuser owed a duty to Plaintiffs and the Classes to  
7 exercise reasonable and ordinary care in the formulation, testing, design, manufacture,  
8 warranting, distribution, marketing, and sale of the Joists;

9 f) whether Weyerhaeuser breached its duty to Plaintiffs and the Classes by  
10 designing, manufacturing, advertising, and selling to Plaintiffs and the Class members defective  
11 Joists, and by failing promptly to remove the Joists from the marketplace or take other  
12 appropriate remedial action;

13 g) whether the Joists will continue to exhibit the defect over time;

14 h) whether the Joists will continue to exhibit the defect over time despite  
15 proposed remediation remedies such as Weyerhaeuser's proposed "paint protocol";

16 i) whether the Joists fail to perform in accordance with the reasonable  
17 expectations of ordinary consumers;

18 j) whether the Joists fail to perform as advertised, marketed and warranted;

19 k) whether Weyerhaeuser breached its express warranties to Plaintiffs and  
20 the Classes by advertising, marketing and selling defective Joists to Plaintiffs and the Classes;

21 l) whether Weyerhaeuser breached its implied warranties to Plaintiffs and  
22 the Classes by advertising, marketing and selling Joists that were not of a merchantable quality,  
23 and that were not fit for the ordinary purpose for which they were sold;

24 m) whether Plaintiffs and the Classes are entitled to compensatory damages,  
25 and the amount of such damages for the removal and replacement of the defective Joists;

26 n) whether Plaintiffs and the Classes are entitled to consequential and  
27 ancillary damages relating to the defective Joists;

1           o) whether Plaintiffs and the Classes are entitled to ongoing testing and  
2 monitoring of the formaldehyde levels in their homes and of their exposure to formaldehyde;

3           p) whether Weyerhaeuser's representations regarding the quality of its  
4 Joists, and its omissions and concealment of facts to the contrary regarding the defective Joists,  
5 constitute violations of applicable consumer protection laws and other applicable statutes; and

6           q) whether Weyerhaeuser should be required to notify all Class members  
7 about the defective Joists.

8           56. Plaintiffs' claims are typical of the claims of the members of the Classes. As a  
9 result of the uniform defects inherent in the Joists' formulation, the defective Joists have caused  
10 Plaintiffs and all members of the Classes to suffer damages.

11           57. Plaintiffs will fairly and adequately protect the interests of the Classes. Plaintiffs  
12 have retained counsel with substantial experience in prosecuting nationwide, multistate and  
13 state law consumer class actions. Plaintiffs and their counsel are committed to prosecuting this  
14 action vigorously on behalf of the Classes they represent, and have the financial resources to do  
15 so. Neither Plaintiffs nor their counsel have any interest adverse or antagonistic to those of the  
16 Classes.

17           58. Plaintiffs and the members of the Classes have all suffered and will continue to  
18 suffer harm and damages as a result of Weyerhaeuser's conduct as described herein. A class  
19 action is superior to other available methods for the fair and efficient adjudication of the  
20 controversy. Absent a class action, the vast majority of Class members likely would not be in a  
21 position to litigate their claims individually and would have no effective remedy at law through  
22 which to vindicate their claims against Weyerhaeuser and be made whole. Class treatment of  
23 predominating common questions of law and fact is also superior to multiple individual actions,  
24 in that class treatment would conserve the resources of the courts and the litigants, and will  
25 further the efficient adjudication of Class members' claims.

**CAUSES OF ACTION**  
**COUNT I**  
**BREACH OF EXPRESS WARRANTY**

1  
2  
3           59. Plaintiffs incorporate by reference each preceding and succeeding paragraph as  
4 though fully set forth herein.

5           60. Weyerhaeuser marketed and sold its Joists into the stream of commerce with the  
6 intent that the Joists would be purchased by contractors, subcontractors and end-users for  
7 installation in homes and other structures owned and purchased by Plaintiffs and the Classes.

8           61. Prior to filing this lawsuit, Plaintiffs provided written notice to Weyerhaeuser of  
9 the breach of warranty.

10           62. Weyerhaeuser expressly warranted in writing that its Joists are well-suited as a  
11 building material with a useful life matching the lifetime of the structure in which the Joists are  
12 installed. For purchasers of the Joists or of homes and other structures with the Joists, these  
13 warranties became part of the basis of the bargain and Plaintiffs and the Classes relied upon the  
14 representations and warranties.

15           63. Pursuant to Weyerhaeuser's express warranty, Weyerhaeuser is to pay costs for  
16 repair or replacement of the defective Joists. In exchange for these duties and obligations,  
17 Weyerhaeuser received payment of the purchase price for the Joists from Plaintiffs and the  
18 Classes.

19           64. Weyerhaeuser created additional express warranties for the Joists through its  
20 sales brochures, catalogs, website and marketing materials. These warranties have full force  
21 and effect, notwithstanding any limitations in the "limited warranties" from Weyerhaeuser.

22           65. Weyerhaeuser made the express warranties to the ultimate consumers, including  
23 Plaintiffs and the Classes.

24           66. The limitations and exclusions in Weyerhaeuser's warranties are unconscionable  
25 and unenforceable.  
26  
27

1           67.     The consequential or incidental losses sustained by Plaintiffs and the Classes are  
2 within the contemplation of the parties, and therefore should not be prohibited when such  
3 bargained for remedy fails of its essential purpose.

4           68.     Weyerhaeuser’s purported “limited warranty” fails of its essential purpose in that  
5 it limits recovery to a multiple of the purchase price of the Joists themselves when adequate  
6 repair, replacement and/or removal of the Joists will cost far in excess of the limited amount.

7           69.     Because Weyerhaeuser’s warranty fails in its essential purpose, Plaintiffs and the  
8 Classes are entitled to recover available damages.

9           70.     Weyerhaeuser’s Joists were defective at the time they were acquired by Plaintiffs  
10 and members of the Classes, and they were defective at the time they were acquired by  
11 Plaintiffs and the Classes’ builders.

12           71.     Weyerhaeuser failed to perform as required under its purported warranties and  
13 breached said contracts and agreements by providing Plaintiffs and the Classes with Joists that  
14 were defective and unfit for their intended use and did not perform as promised, and failed to  
15 appropriately replace the Joists or otherwise provide relief.

16           72.     The Joists fall well short of the lifetime guarantee as their defective nature is  
17 evident immediately upon installation of the Joists or occupation of the structure.

18           73.     Weyerhaeuser breached its express warranties to Plaintiffs and the Classes by  
19 designing, manufacturing, marketing and selling Joists that were defective and not fit for their  
20 intended use as durable and long-term home building products. As detailed herein, the Joists  
21 did not perform as expressly promised and were fraught with uniform defects.

22           74.     Weyerhaeuser knew that its Joists were defective, yet continued to represent that  
23 they were free of defects. Plaintiffs and members of the Classes had no ability to detect the  
24 defect nor received notice thereof, and did not receive notice on a timely basis. Based on facts  
25 within its control, Weyerhaeuser knew or should have known of the defective nature of the  
26 Joists long before its July 18, 2017 press release.



1           83.     Weyerhaeuser expected the consuming public, including Plaintiffs, to use the  
2 Joists to construct their homes and such use was reasonably foreseeable. The Joists sold by  
3 Weyerhaeuser were not merchantable at the time Weyerhaeuser sold them.

4           84.     Weyerhaeuser warranted to the Plaintiffs that the Joists were of a quality that  
5 would pass without objection in the trade and were at least fit for the ordinary purposes for  
6 which such goods were used, and in all other respects were of merchantable quality.

7           85.     Plaintiffs relied on that warranty.

8           86.     Weyerhaeuser breached its implied warranty of merchantability because the  
9 Joists were not of merchantable quality and were unfit for the ordinary purposes for which they  
10 were designed and were used.

11          87.     Prior to filing suit, Plaintiffs notified Weyerhaeuser of the defective nature of its  
12 Joists and of its breach of the implied warranty of merchantability within a reasonable time of  
13 its discovery.

14          88.     Given the significance of the Joists to the structure of Plaintiffs' home and the  
15 homes of Class members – supporting the floors – any limitation of remedies claimed by  
16 Weyerhaeuser must fail of its essential purpose in that significant damage to property will occur  
17 and the replacement of the Joists cannot be accomplished without considerable consequential  
18 cost and expense.

19          89.     As a result of Weyerhaeuser's breach of its implied warranties, Plaintiffs and the  
20 Classes have suffered actual damages, in that they have purchased and installed in their homes  
21 and other structures Joists that are defective and not at all suitable for their intended purpose.  
22 These defects have caused and will continue to cause Plaintiffs and the Classes to expend  
23 substantial resources repairing, removing and/or replacing their Joists and addressing any  
24 collateral damages to their underlying homes and structures proximately caused by the defective  
25 Joists.

26          90.     Plaintiffs and the Classes reserve their rights to seek all damages available by  
27 statute or law.



**COUNT III**  
**VIOLATION OF THE MAGNUSON-MOSS WARRANTY ACT**  
**(15 U.S.C. § 2301, et seq.)**

1  
2  
3 91. Plaintiffs incorporate by reference each preceding and succeeding paragraph as  
4 though fully set forth herein.

5 92. The Joists are a consumer product as defined in 15 U.S.C. § 2301(1).

6 93. Weyerhaeuser is a supplier and a warrantor as defined in 15 U.S.C. §§ 2301(4) &  
7 (5).

8 94. The warranty that came with the products constitutes a “written warranty” under  
9 15 U.S.C. §§ 2301(6)(A) and/or (B).

10 95. Plaintiffs and the Class members are “consumers” as defined in 15 U.S.C. §  
11 2301(3). They are consumers because: (a) they are buyers of a consumer product; (b) they are  
12 persons entitled under applicable state law to enforce against the warrantor the obligations of its  
13 implied warranty; and (c) they are entitled to enforce a written warranty.

14 96. Pursuant to 15 U.S.C. § 2310(e), although Weyerhaeuser is on written notice of  
15 the problems with the Joists and Plaintiffs’ claims, Plaintiffs and the Classes are entitled to  
16 bring this class action and are not required to give Weyerhaeuser notice and opportunity to cure  
17 until such time as the Court determines the representative capacity of Plaintiffs pursuant to Rule  
18 23 of the Federal Rules of Civil Procedure.

19 97. Weyerhaeuser is liable to Plaintiffs and the Class members pursuant to 15 U.S.C.  
20 § 2310(d)(1) because it breached its written warranties as set forth above.

21 98. In connection with its sales of the Joists, Weyerhaeuser gave an implied warranty  
22 as defined in 15 U.S.C. § 2301(7); namely, the implied warranty of merchantability. As a part  
23 of the implied warranty of merchantability, Weyerhaeuser warranted that the Joists, among  
24 other things, were fit for their ordinary purpose as a safe building product that complies with all  
25 applicable laws and regulations. Weyerhaeuser is liable to Plaintiffs and the Classes pursuant to  
26 15 U.S.C. § 2310(d)(1) because it breached the implied warranty of merchantability as set forth  
27 herein.



1 107. Weyerhaeuser was negligent and breached its duty to the consuming public,  
2 including Plaintiffs and Class members, by designing, developing, formulating, testing,  
3 manufacturing and selling Weyerhaeuser's Joists that, under ordinary use in consumers' homes,  
4 emit noxious gases.

5 108. The injuries sustained by Plaintiffs and members of the Classes could have been  
6 reasonably foreseen by Weyerhaeuser.

7 109. As a direct and proximate result of Weyerhaeuser's negligent acts and/or  
8 omissions, Plaintiffs and members of the Classes have incurred and will incur damages in an  
9 amount to be proven at trial.

10 **COUNT V**  
**NEGLIGENT FAILURE TO WARN**

11 110. Plaintiffs incorporate by reference each preceding and succeeding paragraph as  
12 though fully set forth herein.

13 111. Weyerhaeuser owed a duty to the consuming public to design, develop,  
14 formulate, test and manufacture a product reasonably free of defect.

15 112. Weyerhaeuser had a duty to disclose to the consuming public the foreseeable  
16 risks associated with the use of its Joists.

17 113. At the time Weyerhaeuser was selling the Joists, Weyerhaeuser was aware, or  
18 reasonably should have been aware, of the foreseeable risks associated with the use of its Joists.

19 114. Weyerhaeuser was negligent in that it knew or, by the exercise of reasonable  
20 care, should have known that Weyerhaeuser's Joists under ordinary use in homes and other  
21 structures, might be harmful or injurious to the consuming public, including the Plaintiffs and  
22 members of the Classes, but failed to use reasonable care to warn Plaintiffs and members of the  
23 Classes and the consuming public of the potentially harmful and injurious effects in the manner  
24 that a reasonable person would under the same or similar circumstances.  
25  
26  
27

1 115. Weyerhaeuser failed to exercise reasonable care and give adequate warnings or  
2 instructions to consumers about the reasonably foreseeable dangers that could result from using  
3 Weyerhaeuser's Joists under reasonably foreseeable conditions.

4 116. Consumers occupying and/or purchasing homes were not aware of the dangerous  
5 nature of the Joists.

6 117. When the Plaintiffs bought the home containing the Joists, they were not aware  
7 of the dangerous and destructive nature of the Joists and Weyerhaeuser knew or had reason to  
8 know that those consumers would not realize the dangerous condition of the Joists.

9 118. Due to Weyerhaeuser's failure to provide consumers with adequate warnings or  
10 instruction about the dangerous nature of the Joists, Plaintiffs and members of the Classes have  
11 been and will be harmed. Such harm would not have been suffered if Weyerhaeuser provided  
12 adequate warnings or instructions.

13 119. As a direct and proximate result of Weyerhaeuser's negligent acts and/or  
14 omissions, Plaintiffs and members of the Classes have incurred and will incur damages in an  
15 amount to be proven at trial.

16 **COUNT VI**  
**STRICT LIABILITY – DESIGN DEFECT**

17 120. Weyerhaeuser designed its Joists to be used and installed in the Plaintiffs' and  
18 Class members' homes and other structures.

19 121. The design of Weyerhaeuser's Joists, including the formulation of the coating,  
20 was defective.

21 122. Because of such design defects, the Joists were and are unreasonably dangerous  
22 to the consuming public, including Plaintiffs and members of the Classes. The Joists posed a  
23 substantial likelihood of harm at the time they were sold.

24 123. The defect in Weyerhaeuser's design of the Joists existed at the time the Joists  
25 were sold and/or when the Joists left Weyerhaeuser's possession or control.  
26  
27

1 124. The risks inherent in the design of Weyerhaeuser's Joists outweigh the benefits  
2 of their design.

3 125. Feasible alternatives existed to make Weyerhaeuser's Joists safer for their  
4 intended use at the time of their design.

5 126. The Joists were expected to be and were installed in consumers' homes and other  
6 structures, including Plaintiffs' and Class members' homes, without substantial change in their  
7 condition from the time of their manufacture or sale.

8 127. Weyerhaeuser is strictly liable for the injuries that the Joists have caused and will  
9 cause to Plaintiffs and members of the Classes.

10 128. As a proximate result of Weyerhaeuser's defective design of the Joists, Plaintiffs  
11 and the Classes have incurred and will incur damages in an amount to be proven at trial.

12 **COUNT VII**  
**STRICT LIABILITY – MANUFACTURING DEFECT**

13 129. Plaintiffs incorporate by reference each preceding and succeeding paragraph as  
14 though fully set forth herein.

15 130. Weyerhaeuser manufactured its Joists to be used and installed in the Plaintiffs'  
16 and Class members' homes and other structures.

17 131. When the Joists left Weyerhaeuser's control, they deviated in a material way  
18 from their design and/or performance standards. As a result, the Joists were unreasonably  
19 dangerous to the consuming public, including the Plaintiffs and members of the Classes.

20 132. The Joists were defectively manufactured and posed a substantial likelihood of  
21 harm at the time they were sold and/or when the Joists left Weyerhaeuser's possession or  
22 control.

23 133. The Joists were expected to be and were installed in consumers' homes and other  
24 structures, including Plaintiffs' and Class members' homes, without substantial change in their  
25 condition from the time of their manufacture or sale.



1 144. As a proximate result of Weyerhaeuser's failure to give adequate warnings or  
2 instructions, Plaintiffs and members of the Classes have incurred and will incur damages in an  
3 amount to be proven at trial.

4 **COUNT IX**  
5 **VIOLATION OF THE WASHINGTON CONSUMER PROTECTION ACT**  
6 **(Wash. Rev. Code §§ 19.86, et seq.)**

7 145. Plaintiffs incorporate by reference each preceding and succeeding paragraph as  
8 though fully set forth herein.

9 146. The conduct of Weyerhaeuser as set forth herein constitutes unfair or deceptive  
10 acts or practices.

11 147. Weyerhaeuser's actions set forth above occurred in the conduct of trade or  
12 commerce.

13 148. Weyerhaeuser's wrongful conduct occurred in the State of Washington.

14 149. Plaintiffs and Class members were injured as a result of Weyerhaeuser's conduct  
15 as described at length herein.

16 150. Weyerhaeuser's conduct proximately caused the injuries to Plaintiffs and Class  
17 members.

18 151. Weyerhaeuser's actions have directly and/or indirectly affected the people of the  
19 State of Washington in that they have injured Weyerhaeuser's competitors and other business  
20 partners.

21 152. Weyerhaeuser's actions were injurious to the public interest because those  
22 actions injured other persons.

23 153. Weyerhaeuser is liable to Plaintiffs and the Class members for damages in  
24 amounts to be proven at trial, including attorneys' fees, costs, and treble damages.

25 154. Pursuant to Wash. Rev. Code § 19.86.095, Plaintiffs will serve the Washington  
26 Attorney General with a copy of this Complaint as Plaintiffs and Class members seek injunctive  
27 relief.

**COUNT X**  
**UNJUST ENRICHMENT**

1  
2 155. Plaintiffs incorporate by reference each preceding and succeeding paragraph as  
3 though fully set forth herein.

4 156. Substantial benefits have been conferred on Weyerhaeuser by Plaintiffs and the  
5 Classes by purchasing the Joists, and Weyerhaeuser has knowingly and willingly accepted and  
6 enjoyed these benefits.

7 157. Weyerhaeuser either knew or should have known that the payments rendered by  
8 Plaintiffs and the Classes were given and received with the expectation that the Joists would  
9 perform as represented and warranted. For Weyerhaeuser to retain the benefit of the payments  
10 under these circumstances is inequitable.

11 158. Weyerhaeuser's acceptance and retention of these benefits under the  
12 circumstances make it inequitable for Weyerhaeuser to retain the benefit without payment of the  
13 value to the Plaintiffs and the Classes.

14 159. Plaintiffs and the Classes are entitled to recover from Weyerhaeuser all amounts  
15 wrongfully collected and improperly retained by Weyerhaeuser, plus interest thereon.

16 160. As a direct and proximate result of Weyerhaeuser's wrongful conduct and unjust  
17 enrichment, Plaintiffs and the Classes are entitled to an accounting, restitution from and  
18 institution of a constructive trust disgorging all profits, benefits and other compensation  
19 obtained by Weyerhaeuser, plus attorneys' fees, costs and interest thereon.

**COUNT XI**  
**DECLARATORY JUDGMENT ACT**  
**(28 U.S.C. § 2201, *et seq.*)**

20  
21  
22 161. Plaintiffs incorporate by reference each preceding and succeeding paragraph as  
23 though fully set forth herein.

24 162. Declaratory relief is intended to minimize "the danger of avoidable loss and  
25 unnecessary accrual of damages." 10B Charles Alan Wright, Arthur R. Miller & Mary Kay  
26 Kane, Federal Practice and Procedure § 2751 (3d ed. 1998).

27 163. There is an actual controversy between Weyerhaeuser and Plaintiffs concerning:



- 1 a) whether the Joists are defectively designed;
- 2 b) whether Weyerhaeuser knew or should have known of the defects; and
- 3 c) whether Weyerhaeuser failed to warn against the potential unsuitability
- 4 of its defectively designed and manufactured Joists.

5 164. Pursuant to 28 U.S.C. § 2201, the Court may “declare the rights and legal  
6 relations of any interested party seeking such declaration, whether or not further relief is or  
7 could be sought.”

8 165. Plaintiffs seek a declaration that the Joists are defective in their design,  
9 workmanship, materials, and labeling, as alleged herein. The defective nature of the Joists is  
10 material and requires disclosure to all persons who own the Joists or have entered into  
11 agreements or contracts to purchase homes containing the Joists.

12 166. The declaratory relief requested herein will generate common answers that will  
13 settle the controversy related to the alleged defective design, workmanship, materials, and  
14 labeling of the Joists and the reasons for their failure. There is an economy to resolving these  
15 issues as they have the potential to eliminate the need for continued and repeated litigation.

16 **PRAYER FOR RELIEF**

17 **WHEREFORE**, Plaintiffs, on behalf of themselves and the proposed Classes,  
18 respectfully request that the Court grant the following relief:

19 A. Enter an Order certifying the proposed Classes, appointing Plaintiffs as Class  
20 Representatives, and appointing the undersigned counsel as Class Counsel;

21 B. Declare that Weyerhaeuser must notify all Class members of the problems with  
22 the Joists;

23 C. Enter an Order enjoining Weyerhaeuser from further deceptive advertising,  
24 marketing, distribution, and sales practices with respect to the Joists, and requiring  
25 Weyerhaeuser to remove and replace Plaintiffs’ and Class members’ Joists with suitable  
26 alternative joists of Plaintiffs’ and Class members’ choosing;

1 D. Enter an award to Plaintiffs and the Classes that includes all actual,  
2 compensatory, consequential, ancillary, statutory, exemplary, punitive, or other damages as  
3 allowed by Ohio law or other law, and statutory damages and penalties, including interest  
4 thereon, in an amount to be proven at trial;

5 E. Declare that Weyerhaeuser must account for and disgorge, for the benefit of the  
6 Classes, all or part of the ill-gotten profits it received from the sale of its Joists, or order  
7 Weyerhaeuser to make full restitution to Plaintiffs and members of the Classes;

8 F. Award pre-judgment and post-judgment interest at the maximum rate allowable  
9 by law;

10 G. Award reasonable attorneys' fees and reimbursement of costs incurred by  
11 Plaintiffs and their counsel in connection with this action; and

12 H. Award such other and further injunctive relief, including ongoing monitoring of  
13 Class members' homes, and medical monitoring, as the Court deems just and proper.

14 **JURY DEMAND**

15 Plaintiffs, on behalf of themselves and the members of the proposed Classes, hereby  
16 demand trial by jury on all issues so triable.

17 RESPECTFULLY SUBMITTED AND DATED this 12th day of November, 2018.

18 TERRELL MARSHALL LAW GROUP PLLC

19  
20 By: /s/ Beth E. Terrell, WSBA #26759  
21 Beth E. Terrell, WSBA #26759  
22 Email: bterrell@terrellmarshall.com  
23 936 North 34th Street, Suite 300  
24 Seattle, Washington 98103  
25 Telephone: (206) 816-6603  
26 Facsimile: (206) 319-5450  
27

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27

E. Michelle Drake\*  
Email: emdrake@bm.net  
Joseph C. Hashmall\*  
Email: jhashmall@bm.net  
BERGER MONTAGUE PC  
43 SE Main Street, Suite 505  
Minneapolis, Minnesota 55414  
Telephone: (612) 594-5999  
Facsimile: (612) 584-4470

Shanon J. Carson\*  
Email: scarson@bm.net  
Jacob M. Polakoff\*  
Email: jpolakoff@bm.net  
BERGER MONTAGUE PC  
1818 Market Street, Suite 3600  
Philadelphia, Pennsylvania 19103  
Telephone: (215) 875-3000  
Facsimile: (215) 875-4604

*\*pro hac vice applications forthcoming*

*Attorneys for Plaintiffs and the Proposed Classes*

# Exhibit A

# LIMITED LIFETIME WARRANTY

## Trus Joist® TJI® Joist

### What Is Covered?

Weyerhaeuser Trus Joist® TJI® or Silent Floor® joists (Joists), when properly stored, installed as floor or roof joists in a structure and maintained per Weyerhaeuser's published instructions, is warranted by Weyerhaeuser NR Company (Weyerhaeuser) for adequacy of design values as published by Weyerhaeuser and against delamination or manufacturing defects for the lifetime of the structure. This limited warranty is transferable.

### Definition of Covered Conditions

Delamination is defined as an extensive separation of strands within the OSB web, or extensive separation of the LVL flange material veneers. Minor localized edge checking or loose strands on the surface of the OSB web do not constitute delamination, nor does minor edge separation of the LVL veneers. This warranty does not cover the performance of Joists outside the U.S. and Canada, nor delamination, separation, perceived inadequacy of design, or perceived defects due to:

- Prolonged exposure to water after completion of construction or long construction delays; fire, floods, fungal growth, natural disaster, or any other cause beyond Weyerhaeuser's control.
- Defects in the structure due to construction, installation, or manufactured sub-assembly.
- Damage to the product prior to, during, or after installation.
- Noncompliance with installation instructions, applicable building code or generally accepted construction practices.
- Any alterations to the Joists after the original installation.
- Mold, fungal decay or rot; termites or termite damage.
- Pressure or topical treatment not approved by Weyerhaeuser.

Note: Like any wood product, all wood-based joists may be at risk for fungal decay or rot when exposed to repeated wetting or high-moisture environments, particularly if not properly ventilated or subjected to water leaks. For this reason, building construction, design and use features must ensure that the Joists are protected from such exposure by accepted construction practices and adherence to applicable building codes.

### What Weyerhaeuser Will Do

For delamination, strand or component separation, inadequacy of design values (as published) or manufacturing defect covered by this warranty, Weyerhaeuser will pay reasonable cost of labor and material for the repair or replacement of the covered Joists, not to exceed 3 times the original purchase price of the Joist.

### What You Must Do

You must notify Weyerhaeuser in writing of any claim under this warranty within 30 days of the discovery of covered condition at the following address:

Weyerhaeuser Product Assurance Group  
33663 Weyerhaeuser Way South  
Federal Way, Washington 98003  
253.924.5214 • 253.924.4999 (fax)

Upon request, you must provide Weyerhaeuser with reasonable proof of product identification in the form of a sample, a photograph of the identifying stamp, or dated receipt. A Weyerhaeuser representative must be given the opportunity to observe or inspect the affected product prior to any alteration, change or repair.

### Incidental or Consequential Damages

Weyerhaeuser's sole responsibility is as set forth in this warranty and Weyerhaeuser will not be responsible for incidental, indirect or consequential damages. Some states and provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

### State Law Rights

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state and province to province.

